Amendments to the Claims

Rewrite the claims as follows:

1. (Previously presented) Method A method for automatically transforming a provider offering describing a customer specific service environment in business terms into a form which is automatically executable by a resource management system, the method comprises the steps of:

receiving a description of a provider offering in business terms without any references to specific resources; resources,

providing access to a resource catalog containing descriptions of all available resource types including information about dependencies of said resource types belonging to said customer specific service environment as well as reference information to execute resource management actions for said resource types; types,

mapping said description of said provider offering with said resource type information contained in said resource catalog and generating a customer specific service environment topology tree comprising the steps of:

using said provider offering as root node of a customer specific service environment topology tree to be generated; generated,

adding identified resource types as nodes in said topology tree which are mapping with said provider offering; offering,

adding child nodes to said identified nodes when said identified resource types (aggregated resource types) map into a set of lower level resource types (child resources); resources);

repeating the previous steps until said resource types cannot be mapped into set of lower resource types (base resource types; types),

providing access to a resource management action catalog containing resource management actions each describing how to manage a single resource type by a resource control system;—system;

traversing said customer specific service environment topology tree, wherein each node in said customer specific service environment topology tree represents a resource type; type,

extracting from said resource management action catalog all resource management actions of said resource types identified in said customer specific service environment resource topology_tree; tree;

sequencing said extracted resource management actions according to requirements of said defined customer specific service environment; and environment, and

compiling said sequenced management actions into a machine readable form executable by said resource management system.

- 2. (Previously presented) Method A method according to claim 1, wherein said resource management actions includes the operations creation, management and/or deletion of said resource types.
- 3. (Previously presented) <u>Method A method according to claim 1</u>, wherein said sequence is defined by input and out parameter of said resource management actions.
- 4. (Previously presented) <u>Method A method according to claim 1</u>, wherein said sequence is implemented as workflow executable by said resource management system.

- 5. (Previously presented) <u>Method A method according to claim 1</u>, wherein said resource management actions are used to define a decision logic in form of rules to control the execution of said resource management actions.
- 6. (Previously presented) Method A method according to claim 5, wherein said defined work flow process or said decision logic is implemented in a form of XML data.
- 7. (Previously presented) <u>Method-A method according to 1</u>, wherein said reference information includes a URL pointing to a Web Service with the corresponding Web Service description for execution of said resource management actions.
- 8. (Previously presented) System for transforming a provider offering (110) describing a customer specific service environment in business terms into a form executable by a resource management system (132), comprising:

a transformation component (115) for generating a customer specific service environment topology tree by:

receiving a description of a provider offering in business terms without any references to specific resources; resources,

providing access to a resource catalog (112)-containing descriptions of all available resource types including information about dependencies of said resource types belonging to said customer specific service environment as well as reference information to execute resource management actions for said resource types; types;

mapping said description of said provider offering with said resource type information contained in said resource catalog and generating a customer specific service environment topology tree (120)-by:

using said provider offering as root node of a customer specific service environment topology tree to be generated; generated,

adding identified resource types as nodes in said topology tree which are mapping with said provider offering; offering,

adding child nodes to said identified nodes when said identified resource types (aggregated resource types) map into a set of lower level resource types (child resources); and resources), and

repeating the previous steps until said resource types cannot be mapped into set of lower resource types (base resource types);

a compilation component (125) for generating a customer specific service environment definition (130) by:

providing access to a resource management action catalog (122)-containing resource management actions each describing how to manage a single resource type by a resource control_system; system;

traversing said customer specific service environment topology tree (120), wherein each node in said customer specific service environment topology tree represents a resource type; type,

extracting from said resource management action catalog (122) resource management actions of said resource types identified in said customer specific service environment resource topology_ tree; tree,

sequencing said extracted resource management actions according to requirements of said defined customer specific service environment; and environment, and

compiling said sequenced resource management actions into a machine readable form executable by said resource management system—(132).

9. (Previously presented) System A system according to claim 8, wherein said resource catalog (112) contains categorized aggregated resource types which contain references to one or more other resources types with other parameters for them or a certain combination of them or both.

- 10. (Previously presented) System-A system according to claim 8, wherein said provider offering (110)-forms the highest aggregation level of aggregated resource types and the base resources form the lowest not further expandable level in said resource catalog, wherein only said base resource types contain reference information to execute resource management actions for said resource types.
- 11. (Previously presented) <u>System A system according to claim 8</u>, wherein said resource catalog (112) may be implemented in a form of a table stored in a database, or XML file stored in a file system.
- 12. (Previously presented) <u>System-A system according to claim 8</u>, wherein said resource management actions includes creation, management, and deletion of said resource types.
- 13. (Previously presented) <u>System-A system according to claim 8</u>, wherein each resource management action is defined by the name of the resource type, its task and its specific input and output parameter.
- 14. (Previously presented) System-A system according to claim 8, wherein the result of said compilation component (125) is a machine-readable description of sequenced resource management actions as well as decision logic for operating said customer specific service environment.
- 15. (Previously presented) Computer A computer program product stored in the internal memory of a digital computer, containing parts of software code to execute the method in accordance with claim 1-7-1 if the product is run on the computer.

16-20. (Cancelled)